### The ADA for State and Local Governments: Facility Track

Session I -- The 2010 Standards and an Overview of Title II



James A. Bostrom Deputy Chief Disability Rights Section U. S. Department of Justice

### Title II - State and Local Governments



### Title III - Public Accommodations and Commercial Facilities



### Title II and III Regulations

2010 Revisions to ADA Regulations

- Revision of Nondiscrimination Provisions and
- Adoption of 2010 Standards

### Title II and III Regulations

### 2010 Standards and "2004 ADAAG" defined in revised regulations...

2004 ADAAG -- requirements set forth in appendices B and D to 36 CFR part 1191 (2009)

2010 Standards -- 2010 ADA Standards for Accessible Design, which consist of the 2004 ADAAG and the requirements contained in § 35.151 and subpart D of 28 CFR part 36

### Title II Regulations at ADA.gov



### Title III Regulations at ADA.gov Americans with Disabilities Act Title III Regulations Part 36 Nondiscrimination on the Basis of Disability in Public Accommodations and Commercial Facilities (as amended by the final rule published on September 15, 2010) **Table of Contents** Supplementary Information Revised Final Title III Regulation with Integrated Text Subport A - General 36.101 Purpose 36.102 Application 36.103 Relationship to other laws. 36 105 -- 36 199 [Reserved] Subpart B - Ceneral Requirements 36.201 General 36.203 Integrated settings. 36.204 Administrative methods. 36.207 Places of public accommodations located in private 36 208 Direct threat 36 209 Illegal use of drugs. 36.209 Integer 36.210 Smoking. 36.211 Maintenance of accessible features. 36.212 Insurance. 34.213 Relationship of subpart B to subparts C and D of this par

### Title II Regulations at ADA.gov ADA.gov Search ADA.gov Information and Technical Assistance 90 on the Americans with Disabilities Act More Search Options Law / Reg Enfor al Assista INTRODUCTION TO THE ADA New on ADA.gov Featured Topics Publications and videos that answer Fire Department of the City of New York I Complaint these questions and more: What is ent Decree (posted 5/10/13) the ADA? Who is a person with a disability? Who must comply with the ADA? Where can you call to ask questions about the ADA? Stewart County, Georgia Project Civic Access Agreement (posted 5/9/13) Burke Health and Rehabilitation Cente ment Agreement (posted 5/3/13) The City of Jacksonville ADA REQUIREMENTS AND Project Civic Access Agreement (posted 4/19/13) TECHNICAL ASSISTANCE Regulations, design standards, publications, video, and other media that provide information about compliance with the ADA Settlement Agreement (posted 4/5/13) Manassas Health and Rehab Center Settlement Agreement (posted 4/5/13) Returning Service Members ADA ENFORCEMENT with **Disabilities** Gainesville Health and Rehab Center ACTIVITIES Settlement Agreement (posted 4/5/13) 12368978944 The Department enforces the ADA Center for Orthopaedic and Sports Medicine, Inc Settlement Agreement (posted 4/5/13) enforcement through complaints lawsuits, consent decrees File a Co settlement agreements, and Northern Ohio Medical Specialists alternate dispute resolution Settlement Agreement (posted 4/5/13) Instructions for filing a complaint with the Department of Justice and for The Learning Clinic Settlement Agreement (posted 3/25/2013) requesting accommodations for the filing process Arapahoe County Sheriff's Office, Colorado The City of Englewood, Colorado Settlement Agreements (posted 3/22/2013) FEDERAL AND ADA DISABILITY RESOURCES Find Information on ADA.gov Federal agencies with ADA or Glenbeigh Settlement Agreement (posted 3/13/2013) Section 504 responsibilities and Topics of Interest on ADA.gov -common ADA topics of interest that Federal websites with informa related to disability rights issues

2010 Standards for Accessible Design

### Title II Standards

Requirements in 28 CFR 35.151 and 2004 ADAAG 2010 Standards for Accessible Design

Title III Standards

Requirements in 28 CFR part 36 subpart D and 2004 ADAAG





### DOJ's 2010 ADA Standards



11

Appendices B and D to 36 CFR part 1191 (2009) -- 2004 ADA Guidelines...

and the requirements contained in § 35.151 and subpart D of 28 CFR part 36

### 2010 Standards



### 2010 Standards: Guidance





### Title II 2010 Standards

**Current ADA Standards** 

Physical Construction or Alterations Commence on or After March 15, 2012



### Title II -- On or after March 15, 2012

- ...if physical construction or alterations commence on or after March 15, 2012, then the 2010 Standards apply.
- ...new construction, alterations, and program access
- 2010 Standards are also the new reference point for program accessibility

### 2010 Standards Applies...

- New Construction
- Alterations
- State and local government facilities --Physical Changes for Program Accessibility
- Public accommodations -- Readily Achievable Barrier Removal

### Effective Date & Compliance Date

Available From: www.ADA.gov ADA

Information

Line



17

### General Prohibitions Against Discrimination

35.130 -- No qualified individual with a disability shall, on the basis of disability, be excluded from participation in or be denied the benefits of the services, programs, or activities of a public entity, or be subjected to discrimination by any public entity.

### New Construction

35.151(a) -designed and constructed in such manner that the facility or part of the facility is readily accessible to and usable by individuals with disabilities...



### Alterations

### 35.151(b) --

Each facility or part of a facility altered by, on behalf of, or for the use of a public entity in a manner that affects or could affect the usability of the facility or part of the facility shall, to the maximum extent feasible, be altered in such manner that the altered portion of the facility is readily accessible to and usable by individuals with disabilities...





### New Construction and Alterations

35.151(a)(1) Each facility or part of a facility constructed by, on behalf of, or for the use of a public entity shall be designed and constructed in such manner that the facility or part of the facility is readily accessible to and usable by individuals with disabilities, if the construction was commenced after January 26, 1992.

### 2010 Standards



### Title II 2010 ADA Standards A Kit of Parts...

Chapter I (reference standards, defined terms, etc...) Chapter 2 Scoping Requirements Chapters 3 - 10 Technical Requirements Requirements Not Duplicated...

### Harmonized with Model Building Codes



### Application in United States...

~50% of Building Codes 100% ADA Facilities --







### Title II 2010 Standards

### 28 CFR part 35.151 New Construction and Alterations

(a) Design and construction, including the exception for structural impracticability	6
(b) Alterations, including alterations to historic properties, path of travel, and primary function	6
(c) Accessibility standards and compliance date	9
(d) Scope of coverage	11
(e) Social service center establishments	11
(f) Housing at a place of education	11
(g) Assembly areas	12
(h) Medical care facilities	13
(i) Curb ramps	13
<ul> <li>(j) Facilities with residential dwelling units for sale to individual owners.</li> </ul>	13
(k) Detention and correctional facilities	13

25

### DOJ Regulation Text in 2010 Standards

### Read with...

General. Buildings, facilities, or portions thereof, in which people are detained for penal or on purposes, or in which the liberty of the inmates is restricted for security reasons shall comply [See additional requirements at 28 CFR 35.151(k), p. 13.]

Advisory 232.1 General. Detention facilities include, but are not limited to, jails, detention centers, and holding cells in police stations. Correctional facilities include, but are not limited to, prisons, reformatories, and correctional centers.

Search for [See additional requirements...

### 2010 Standards --2004 ADAAG

### 2004 ADAAG

Chapter 1: Application and Administration	37
Chapter 2: Scoping Requirements	50
Chapter 3: Building Blocks	104
Chapter 4: Accessible Routes	117
Chapter 5: General Site and Building Elements	149
Chapter 6: Plumbing Elements and Facilities	159
Chapter 7: Communication Elements	186
Chapter 8: Special Rooms, Spaces, and Elements	
Chapter 9: Built-in Elements	219
Chapter 10: Recreational Facilities	224

### 2010 Standards 2004 ADAAG Structure and Format

CHAPTER I: APPLICATION AND ADMINISTRATION

CHAPTER 2: SCOPING REQUIREMENTS

CHAPTERS 3 - 10: TECHNICAL REQUIREMENTS

### 2010 Standards

- 1991 Standards Advisory text was included in the Appendix
- 2010 Standards Advisory text is included within the text after the provision
- Advisory Language NOT enforceable

**206.7.9 Team or Player Seating.** Platform lifts shall be permitted to provide *accessible* routes to team or player seating areas serving *areas of sport activity.* 

Advisory 206.7.9 Team or Player Seating. While the use of platform lifts is allowed, ramps are recommended to provide access to player seating areas serving an area of sport activity.

29

### 2010 Standards

Figures provided for informational purposes only -- must read text... 104.3



### 2010 ADA Standards

General Guidance:

Look for Chapter 2 Requirements to Match Up with Requirements from Chapters 3 - 10

206.4 Entrances with 404...

2010 ADA Standards Example -- Parking Spaces

Scoping is provided by 208 Parking Spaces (page 67)

Technical specifications are in 502 Parking Spaces (page 149)



33

### Section 201.1 Scope

All areas of newly designed and newly constructed *buildings* and *facilities* and *altered* portions of existing *buildings* and *facilities* shall comply with these requirements.



### Section 201.2

Application Based on Building or Facility Use.

Where a site, building, facility, room, or space contains more than one use, each portion shall comply with the applicable requirements for that use.

### Section 202.3 Alterations

Where existing elements or spaces are altered, each altered element or space shall comply with the applicable requirements of Chapter 2.

EXCEPTIONS: I. Unless required by 202.4, where elements or spaces are altered and the circulation path to the altered element or space is not altered, an accessible route shall not be required.

2. In alterations, where compliance with applicable requirements is technically infeasible, the alteration shall comply with the requirements to the maximum extent feasible.

### Section 202.2 Additions

Each addition to an existing building or facility shall comply with the requirements for new construction.

Each addition that affects or could affect the usability of or access to an area containing a primary function shall comply with 202.4.

37

### Section 202.3 Alterations

The requirement in section 4.1.6(1)(c), "If alterations of single elements, when considered together, amount to an alteration of a room or space in a building or facility, the entire space shall be made accessible." is not in the 2010 Standards.

See Advisory 202.3 Alterations.

### Section 202.4

Alterations Affecting Primary Function Areas

For title II facilities, read with 35.151(b)(4) Path of Travel.

Residential dwelling units are not required to comply with 202.4

### 102 Adults and Children

The technical requirements are based on adult dimensions and anthropometrics.

In addition, this document includes technical requirements based on children's dimensions and anthropometrics for drinking fountains, water closets, toilet compartments, lavatories and sinks, dining surfaces, and work surfaces.

# 308.1 Children's Reach

Advisory 308.1 General. The following table provides guidance on reach ranges for children according to age where building elements such as coat hooks, lockers, or operable parts are designed for use primarily by children. These dimensions apply to either forward or side reaches. Accessible elements and operable parts designed for adult use or children over age 12 can be located outside these ranges but must be within the adult reach ranges required by 308.

Children's Reach Ranges				
Forward or Side Reach	Ages 3 and 4	Ages 5 through 8	Ages 9 through 12	
High (maximum)	36 in (915 mm)	40 in (1015 mm)	44 in (1120 mm)	
Low (minimum)	20 in (510 mm)	18 in (455 mm)	16 in (405 mm)	

41

### 105 Reference Standards

- Power, Power Assist, and Low Energy Power Operated Doors
- Elevators, Escalators, Platform Lifts, and Stairway Chairlifts
- Playground Equipment and Surfaces
- Accessible Means of Egress
- Guard Railings
- Fire Alarm Systems -- Visible Alarms

### Chapter I: Application and Administration

### **106** Definitions

106.2 Terms Defined in Referenced Standards

106.3 Undefined Terms -- not defined in title II regulations or referenced standards

106.5 Defined Terms

# Section 203 General Exceptions

This section exempts certain sites, buildings, facilities and elements from accessibility requirements of the 2010 Standards.

# Section 203 General Exceptions

Carries over similar exceptions from the 1991 Standards...

203.2 Construction Sites203.3 Raised Areas203.4 Limited Access Spaces203.5 Machinery Spaces

47

45

### Where's the Accessible Route?



### Section 206 Accessible Routes

### 206.3 Location

Accessible routes shall coincide with or be located in the same area as general circulation paths. Where circulation paths are interior, required accessible routes shall also be interior.

### **Direct Access Bridges**

206.4.2 Parking Structure Entrances 206.4.3 Entrances from Tunnels or Elevated Walkways



### Section 207 Egress

207.1 General. Means of egress shall comply with section 1003.2.13 of the International Building Code (2000 edition and 2001 Supplement) or section 1007 of the International Building Code (2003 edition) (incorporated by reference, see "Referenced Standards" in Chapter 1).

# Section 215 Fire Alarm Systems



# Chapter 3 Building Blocks

48 inches max -- 15 inches min





### Toe and Knee Clearance



### Walking Surfaces

### Section 403

- surface
- slope
- changes in level
- clearances
- handrails -- new



### Detectable Warnings

No requirement in 2010 Standards

Required by DOT's 504 Regulations...

Rights-of-Way...



### **Door and Gate Surfaces** 404.2.9



door & Gate surfaces within 10" of the floor must be smooth - cannot snag footrests

### **Recessed Doorways**





### 505 Handrails

307.2 Protrusion Limits. Objects with leading edges more than 27 inches (685 mm) and not more than 80 inches (2030 mm) above the finish floor or ground shall protrude 4 inches (100 mm) maximum horizontally into the circulation path.



EXCEPTION: Handrails shall be permitted to protrude 4 1/2 inches (115 mm) maximum



min

**Figure 505.6** Horizontal Projections Below Gripping Surface

57



# 505 Handrails



# Ambulatory Accessible Compartment

Six or More Compartments -- Also Urinals + Compartments



# <section-header><section-header><complex-block><image>

# New Technology...



### 605 Urinals



# 213.3.3 More than One...



67



68

# Signs and Signage 216 and 703



# Location of Tactile Signs





www.ADA.gov ADA Information Line 800-514-0301 800-514-0383(tty)



71

69